Experiment Number: A23852

Test Type: Genetic Toxicology - Micronucleus

Route: Dosed-Water

Species/Strain: Mouse/B6C3F1

G04: In Vivo Micronucleus Summary Data

Test Compound: Urethane + ethanol (combination)

CAS Number: URETHCOMB

.....

Date Report Requested: 09/20/2018

Time Report Requested: 06:01:49

NTP Study Number: A23852

Study Duration: 93 Days

Study Methodology: Slide Scoring

Male Study Result: Positive

Female Study Result: Positive

G04: In Vivo Micronucleus Summary Data

Test Compound: Urethane + ethanol (combination)

CAS Number: URETHCOMB

Date Report Requested: 09/20/2018
Time Report Requested: 06:01:49

Route: Dosed-Water

Species/Strain: Mouse/B6C3F1

Test Type: Genetic Toxicology - Micronucleus

Experiment Number: A23852

Tissue: Blood; Sex: Male; Number of	Treatments: 93; Time interval between	final treatment and cell sampling: 0 h

Dose (ppm)	MN NCE/1000		
	N	Mean ± SEM	p-Value
Vehicle Control ¹	5	3.30 ± 0.46	
110.0	5	5.40 ± 1.27	0.0387
330.0	5	7.10 ± 0.53	0.0017 *
1100.0	5	14.30 ± 1.72	< 0.001 *
3300.0	5	15.50 ± 1.75	< 0.001 *
Trend p-Value		< 0.001 *	
Trial Summary: Positive			

G04: In Vivo Micronucleus Summary Data

Test Compound: Urethane + ethanol (combination)

CAS Number: URETHCOMB

Date Report Requested: 09/20/2018
Time Report Requested: 06:01:49

Route: Dosed-Water

Species/Strain: Mouse/B6C3F1

Test Type: Genetic Toxicology - Micronucleus

Experiment Number: A23852

Dose (ppm)	MN NCE/1000		
	N	Mean ± SEM	p-Value
Vehicle Control ¹	5	3.10 ± 0.29	
110.0	5	4.10 ± 0.53	0.1841
330.0	5	5.60 ± 0.48	0.0203
1100.0	5	10.80 ± 2.24	< 0.001 *
3300.0	5	18.00 ± 2.11	< 0.001 *
Trend p-Value		< 0.001 *	
Trial Summary: Positive			

G04: In Vivo Micronucleus Summary Data

Test Compound: Urethane + ethanol (combination)

CAS Number: **URETHCOMB**

Date Report Requested: 09/20/2018

Time Report Requested: 06:01:49

Species/Strain: Mouse/B6C3F1

Route: Dosed-Water

Experiment Number: A23852

LEGEND

Test Type: Genetic Toxicology - Micronucleus

MN = micronucleated, PCE = polychromatic erythrocyte, NCE = normochromatic erythrocyte

CAS Number = Chemical Abstracts Service registry number

N = Number of subjects

Values given as Mean or Mean ± Standard Error Mean

Results were tabulated as the mean of the pooled results from all animals within a treatment group, plus or minus the standard error of the mean

Pairwise comparison to the concurrent control, dosed groups significant at p = 0.025/number of treatment groups; positive control value is significant at p = 0.05

Cochran-Armitage trend test, significant at p = 0.025

* Statistically significant pairwise or trend test

1: Vehicle Control: Ethanol

** END OF REPORT **